

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredient

Pain reliever/
Acetaminophen 80 mgfever reducer
(in each chewable tablet)

Purpose

■ temporarily relieves minor aches and pains due to: ■ headache ■ toothache ■ sore throat ■ the common cold ■ flu

Uses

■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

■ more than 5 doses in 24 hours, which is the maximum daily amount

■ with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

■ rash ■ skin redness ■ hives ■ itchy skin

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure

ask your doctor or pharmacist.

Use weight to dose; otherwise, use age.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



No print/No varnish
Lot & Exp date

NDC 0904-5791-46

MAJOR

Children's
Mapap[®]
80 mg Chewable Tablets

Pain reliever / Fever reducer

ASPIRIN-FREE • IBUPROFEN-FREE

AGES 2-6

30 Chewable Tablets

Chew or crush
tablets completely
before swallowing.



Grape Flavor

50844 RE-0119H45201
Distributed by MAJOR PHARMACEUTICALS
17177 N Laurel Park Drive, Suite 283
Lombard, IN 46152 USA M-17 Rev. 02/19
Re-order No. 005446

Drug Facts (continued)
Questions or comments?
(800) 916-2471

Drug Facts (continued)

- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (chewable tablets)
Under 24	Under 2	Ask a doctor
24-35	2-3	2 tablets
36-47	4-5	3 tablets
48-59	6-8	4 tablets
60-71	9-10	5 tablets
72-95	11	6 tablets

Other information

- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°C -30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients citric acid, croscopolone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dehydrated hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Drug Facts (continued)

whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor or pharmacist before use if you

are taking the blood thinning drug warfarin.

When using this product do not exceed

recommended dosage.

Stop use and ask a doctor if

■ pain gets worse or lasts more than 5 days

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children. In case of

accidental overdose, get medical help or contact

a Poison Control Center (1-800-222-1222) right

away. Prompt medical attention is critical for

adults as well as for children even if you do not

notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed
- find the right dose on chart below. If possible,

DG9146A