



Drug Facts

SAVE CARTON FOR COMPLETE DRUG FACTS

Active ingredient (in each caplet)

Acetaminophen 500 mg Pain Reliever/Fever Reducer

Purposes

Uses

- for the temporary relief of minor aches and pains due to:
 - headache ■ muscular aches ■ backache ■ minor pain of arthritis ■ the common cold
 - toothache ■ premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. ▼

Drug Facts (continued)

Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.**

Overdose warning: In the case of overdose, get medical help or contact a Poison Control Center right away.
(1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ **do not take more than directed (see overdose warning)**

adults and children 12 years and over: ■ take 2 caplets every 6 hours while symptoms last

■ do not take more than 6 caplets in 24 hours unless directed by a doctor

■ do not take for more than 10 days unless directed by a doctor

children under 12 years: ask a doctor

Other information ■ store at room temperature

Inactive ingredients Hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid ▶



Exp. Date:

Lot#:

3 0904 1198394 6



Do not use if carton is open, or if imprinted safety seal under cap is broken or missing



NDC 0904-1983-94

See New Warnings Information and Directions

EXTRA STRENGTH
Māpap[®]

**ASPIRIN FREE
ACETAMINOPHEN**

STRONG PAIN &
FEVER RELIEF

CAPLETS



Compare to the active ingredient in
Extra Strength Tylenol[®] Caplets*

175 Caplets
500 mg. Each

Drug Facts (continued)

Questions or comments?

Call (800) 616-2471

Distributed by: MAJOR[®] PHARMACEUTICALS
17177 N Laurel Park Drive, Suite 233

Livonia, MI 48152 USA

Re-Order No. 100445 Rev. 10/16 M-95

*This product is not manufactured or distributed
by McNeil Consumer Healthcare, owner of the
registered trademark Tylenol[®].



NDC 0904-1983-94

See New Warnings Information and Directions

EXTRA STRENGTH
Māpap[®]

**ASPIRIN FREE
ACETAMINOPHEN**

STRONG PAIN &
FEVER RELIEF

CAPLETS



Compare to the active ingredient in
Extra Strength Tylenol[®] Caplets*

175 Caplets
500 mg. Each

