STOP INFECTION

FIRST AID ANTISEPTIC OINTMENT NING - NO STAIN 0 Z

POVIDONE - IODINE 10% **AVAILABLE IODINE 1%**

Kills germs

NDC 0904-1102-31

Promptly in:

- CUTS
- SCRAPES

Compare to Active Ingredient of

Betadine® Ointment*

*Major® Povidine Ointment is not manufactured or distributed by Purdue Frederick, owner of the registered trademark Betadine®. Poison Control Center immediately. In case of accidental ingestion, seek professional assistance or contact a

Re-Order No.: 100433 M-101

Livonia, MI 48152 USA

17177 N Laurel Park Drive, Suite 233 Dist. By MAJOR® PHARMACEUTICALS KEEP CARTON FOR COMPLETE DRUG FACTS. Questions or comments? Call (800) 616-2471

66

Keep this and all drugs out of the reach of children.

condition persists or gets worse

Stop use and ask a doctor if • redness, irritation or swelling occurs or pain persists animal bites • serious burns

Ask a doctor before use if you have • deep or puncture wounds

When using this product . Avoid contact with eyes.

longer than 1 week unless directed by a doctor

Do not use • over large areas of the body • if you are allergic to any of the ingredients

Close cap tightly after use.
For lot no. and expiration date, see carton

 Store at controlled room temperature Other information

20° - 25°C (68° - 77°F).

Glycerin, PEG-6, PEG-32, Propylene Glycol Inactive ingredients

fabrics. • Protect from freezing. and / or crimp of tube. Will not stain natural or external use only

Warnings

First aid to help prevent infection in minor cuts, scrapes, and burns

Drug Facts

Active ingredient

ovidone lodine USP 10% w/w (available lodine 1%)

First aid antiseptic

Purpose

Directions

Drug Facts (continued)

apply a small amount of this product on the area

· may be covered with a sterile bandage

1 to 3 times daily

Ointment 10% (AVAILABLE IODINE 1%) **POVIDONE - IODINE**



FIRST AID ANTISEPTIC OINTMENT dine Povi **MAJOR**

lot

NET WT. 1 OZ (28.35 g)

POVIDONE - IODINE 10%

Rev. 11/16 Manufactured in USA

508842